



Statistical Bulletin

Abortion Statistics, England and Wales: 2007

This bulletin summarises information from the abortion notification forms returned to the Chief Medical Officers of England and Wales in respect of abortions carried out in England and Wales in 2007.

KEY FACTS

In 2007, for women resident in England and Wales:

- the total number of abortions was 198,500, compared with 193,700 in 2006, a rise of 2.5%
- the age-standardised abortion rate was 18.6 per 1,000 resident women aged 15-44, compared with 18.3 in 2006
- the abortion rate was highest at 36 per 1,000, for women age 19
- the under-16 abortion rate was 4.4 and the under-18 rate was 19.8 per 1,000 women, both higher than in 2006
- 89% of abortions were funded by the NHS; of these, just over half (57%) took place in the independent sector under NHS contract
- 90% of abortions were carried out at under 13 weeks gestation; 70% were at under 10 weeks
- medical abortions accounted for 35% of the total compared with 30% in 2006
- 1,900 abortions (1%) were under ground E, risk that the child would be born handicapped

Non-residents:

• in 2007, there were 7,100 abortions for nonresidents carried out in hospitals and clinics in England and Wales (7,400 in 2006)

Contents

Introduction

Data Quality

Overview

Analysis and commentary

Recommendations from the National Statistics Disclosure Review

Editorial notes

Index to tables

Reference tables

Bulletin 2008/01 Published June 2008 Free of charge © Crown Copyright 2008

1. Introduction


- 1.1 This is the sixth Statistical Bulletin presenting statistics of legally induced abortions in England and Wales and covers those that took place in 2007. The format of the tables presented in this bulletin reflects the recommendations made in the ONS disclosure review (see Section 5 for further information).
- 1.2 The first bulletin, published by the Department of Health in October 2003, covered abortions in 2002 and was revised to incorporate the final 2002 figures in July 2004 in an Internet-only publication. Statistics for 2003 were first published in August 2004 and more detail was published in July 2005 on the Internet at the same time as statistics for 2004 were published. Statistics for 2005 and 2006 were published in the June of the following year. Statistics for earlier years were published by the Office for National Statistics Abortion Statistics, Series AB nos. 1 to 28.
- 1.3 The information collected on the abortion notification form (HSA4) was amended during 2002. Details of the changes are in appendix A.

Data quality

- 2.1 Incomplete and incorrectly completed forms are returned to practitioners for completion and clarification. In a very small number of cases (about one-quarter of one percent), the information remains unavailable at the time of publication. Date of birth was missing from 71 records in 2007, gestation information from 123, postcodes from 69 and grounds from 69.
- 2.2 Records with missing ages were assigned to the 20-24 age group. Missing gestations were imputed as 6, 7, 8, 9 or 10 weeks in equal distribution unless method of abortion or diagnosis suggested otherwise. Missing postcodes were imputed with a random postcode from within the main PCTs of other residents attending the same hospital or clinic. Missing grounds were imputed as ground C (see Section 4.2.1).
- 2.3 Abortion rates per 1,000 women for 2007 at a national level and at PCT level are calculated using 2006 mid-year population estimates for England, Wales, England and Wales, Primary Care Organisations and Local Health Boards.

Figure 1 Age-standardised abortion rate per 1,000 population aged 15-44, England and Wales, 1970 to 2007





3. Overview

- 3.1 In total there were 205,598 abortions notified as taking place in England and Wales in 2007.
- 3.2 There were 198,499 abortions to residents of England and Wales in 2007. This represents a rate 18.6 per 1,000 resident women aged 15-44 (agestandardised rate, see Abortion Statistics, Series AB no. 27 page vi). The agestandardised abortion rate peaked at 15.5 in 1990 but remained below 15 until 1995; it then rose to 17.2 in 1998. From 1999 to 2002 the rate remained level at just over 17. The rate then rose again and in 2007 it was 18.6 (see *Figure 1* and Table 1).
- 3.3 In 2007, there were 7,099 abortions to residents of other countries, principally Northern Ireland (19%) and the Irish Republic (66%). This is about 340 fewer than in 2006. The number of abortions to non-residents remained between 9,000 and 10,000 in the period 1995 to 2003. The 2007 total is the lowest in any year since 1969 (see Table 1 and Table 12).

4. Analysis and commentary (England and Wales residents only)

4.1 Location and funding of abortions

- 4.1.1 Except in an emergency, any treatment for the termination of pregnancy can only be carried out in an NHS hospital or in a place approved for the purpose by the Secretary of State, and after 24 weeks, only in an NHS hospital. Through contractual arrangements with Primary Care Organisations (PCOs), some approved independent sector places perform NHS-funded abortions.
- 4.1.2 Table 3*i* and *Figure 2* show that in 2007, 38% of abortions were performed in NHS hospitals and 50% in approved independent sector places under NHS contract (NHS Agency), making a total of 89% of abortions funded by the NHS. The remaining 11% were privately funded. The proportion performed under NHS contract has been rising steadily since 1992 while the proportions of NHS hospital and private abortions has been falling.




Figure 2 Abortions by purchaser, England and Wales, 1996 to 2007

4.2 Statutory grounds for abortion

- 4.2.1 A legally induced abortion must be certified by two registered medical practitioners as justified under one or more of the following grounds:
- A the continuance of the pregnancy would involve risk to the life of the pregnant woman greater than if the pregnancy were terminated (Abortion Act, 1967 as amended, section 1(1)(c))
- B the termination is necessary to prevent grave permanent injury to the physical or mental health of the pregnant woman (section 1(1)(b))
- C the pregnancy has not exceeded its twenty-fourth week and that the continuance of the pregnancy would involve risk, greater than if the pregnancy were terminated, of injury to the physical or mental health of the pregnant woman (section 1(1)(a))
- D the pregnancy has not exceeded its twenty-fourth week and that the continuance of the pregnancy would involve risk, greater than if the pregnancy were terminated, of injury to the physical or mental health of any existing children of the family of the pregnant woman (section 1(1)(a))
- E there is a substantial risk that if the child were born it would suffer from such physical or mental abnormalities as to be seriously handicapped (section 1(1)(d))


or in an emergency, certified by the operating practitioner as immediately necessary:

- F to save the life of the pregnant woman (section 1(4))
- G to prevent grave permanent injury to the physical or mental health of the pregnant woman (section 1(4))

- 4.2.2 In 2007, the vast majority (98%) abortions were undertaken under ground C and a further 1% under ground D. A similar proportion were carried out under ground E. Grounds A and B together accounted for less than 1% of abortions. The proportion of ground C has risen steadily since abortions 1996, with a corresponding reduction in ground D cases. (See Table 3ii.) Less than half a per cent of ground C only terminations were reported as being performed because of a risk to the woman's physical health. Abortions are rarely performed under grounds F or G.
- 4.2.3 Chromosomal abnormalities were reported for about a third (39%) of cases under ground E, congenital malformations in about 46%. The most commonly reported anomalies were of the nervous system (24% of all ground E cases) and the musculoskeletal system (6%); Down's syndrome (23% of all ground E cases) was the most commonly reported chromosomal abnormality (Table 9; specific groups are shown only where there are 10 or more cases in total. See Section 5).
- 4.2.4 As in 2006 and each year since 1999, fewer than 10 abortions under ground E in 2007 were associated with rubella.

4.3 Gestation period

- 4.3.1 The vast majority of abortions are performed at under 13 weeks gestation. In 2007, about 70% were at under 10 weeks and a further 20% at 10-12 weeks. The proportion at 13 weeks or more was 10% in 2007. The corresponding percentages for 2006 were 68%, 22% and 11% respectively showing a continuing increase in the proportion of abortions that were performed under 10 weeks (Table 3 *iii* and *Figure 3*).
- 4.3.2 Department of Health policy is that women, who are legally entitled to an abortion, should have access to the procedure as soon as possible. Evidence shows that the risk of complications



increases the later the gestation. In 2001, the Government set a standard of a maximum waiting time of 3 weeks. Significant investment was made to improve early access and performance in this area was measured as part of the Healthcare Commission's annual healthcheck until 2006/7. The latest data for 2007 show that progress continues to be made to increase early access: 68% of NHS funded abortions took place at under 10 weeks compared with 51% in 2002. This represents a 33% increase in the total number of abortions taking place at under 10 weeks between 2002 and 2007 compared with a 13% rise in the total number of abortions over the same period. See Table A.

Table A Percentage of all NHS funded abortions under 10 weeks, 2002-2007.					
Year	%				
2002	51				
2003	52				
2004	56				
2005	63				
2006	65				
2007	68				

4.3.3 Abortions where gestation has exceeded its twenty-fourth week account for less than 0.1% of the total. There were 135 such abortions in 2007 (Table 5).

4.4 Age

4.4.1 The abortion rate in 2007 was highest at 36 per 1,000, for women age 19. There were just over 1,170 abortions to women aged under 15 and about 730 to women aged 45 or over (see Table 4a and *Figure 4*).

4.4.2 The under-16 abortion rate was 4.4 in 2007 compared with 3.9 in 2006 and the under-18 rate was 19.8 in 2007 compared to 18.2 in 2006. The rates for all women age under 20 were higher in 2007 than in 2006, most markedly for those age under 18. (Table 4).

4.5 Marital status

4.5.1 81% of abortions in 2007 were carried out for single women, a proportion that has risen slowly from about two thirds since 1997 (Table 3*v*).

4.6 Ethnicity

4.6.1 The revised HSA4 forms introduced in 2002 allow for the recording of

England and Wales, 2007 rate 40 35 30 25 20 15 10 5 10 15 20 25 30 35 40 50 55 60 Age

Figure 4 Abortion rate per 1,000 population by single year of age,

ethnicity, as self-reported by the women involved; this information was previously recorded. Ethnicity recorded on 93% of the forms received for 2007. Of women whose ethnicity was recorded, 75% were reported as White, 11% as Black or Black British and 8% as Asian or Asian British (Table 3vi).

4.6.2 The percentage of previous abortions (where the woman has had one or more previous abortion in addition to the one recorded for 2007) varies by ethnic group. 28% of Asian women having abortions in 2007 had previously had an abortion, compared with 48% of Black women (Table B).

Table B	
Percentage of previous abortions by ethnic group, 2007	
Asian or Asian British	28%
Black or Black British	48%
Chinese or Other ethnic group	33%
Mixed	41%
White	31%

4.7 Previous abortions

4.7.1 As in 2006, 32% of women undergoing abortions in 2007 had one or more previous abortions. The proportion has risen from about 28% since 1997 (Table 3ix and Table 4b).

4.7.2 In 2007, 23% of women aged under 25 having an abortion, had previously had an abortion (Table 11). Repeat unintended pregnancy and subsequent abortion is a complex issue associated with increased age as it allows longer time for exposure to pregnancy risks.

4.8 Previous obstetric history

4.8.1 In 2007, about 47% of women undergoing abortions had one or more previous pregnancies that resulted in a live stillbirth, a proportion virtually unchanged over the last 10 years. About 14% of women had a previous pregnancy resulting in a miscarriage or ectopic pregnancy (Tables 3vii & 3viii).

4.9 Method of abortion

4.9.1 Different methods may be used to terminate a pregnancy, depending on the gestation duration of and other circumstances relating to the individual woman. There is one principal medical method, involving the use of the abortifacient drug Mifegyne (mifepristone, also known as RU486). The main surgical methods are vacuum aspiration, recommended at up to 15 weeks gestation, and dilatation and evacuation (D&E) recommended where gestation is greater than 15 weeks. D&E may be used in combination with vacuum aspiration; such cases are recorded in the statistics as D&E.

- 4.9.2 Medical abortions accounted for about 35% of the total in 2007. The proportion of medical abortions has more than doubled in the last five years. There has been a continuing upward trend in medical abortions since 1991 when Mifegyne was licensed for use in the UK (Table 3iv and Table 5).
- 4.9.3 Vacuum aspiration was used for 60% of abortions in 2007 and Dilatation and Evacuation (D&E) alone in about 5% (Table 3iv).
- 4.9.4 For abortions at 22 weeks or beyond, feticide is recommended prior to the evacuation of the uterus to stop the fetal heart. In 2007, 66% of abortions performed at 22 weeks and over were reported as preceded by a feticide and 27% were performed by a method whereby the fetal heart is stopped as part of the procedure. 3% of abortions at 22 weeks or beyond were confirmed as having no feticide. For the remaining 3%, at the time of publication, we had not been able to confirm whether feticide had been performed.

4.10 Length of stay

4.10.1 In 2007, about 700 (0.4%) women were reported as having a duration of stay of one or more nights. Over half of these stays were for abortions performed at later gestations – 20 weeks and over (See Table C).

Table C
Percentage of abortions requiring a duration of stay of one or more nights, by gestation, 2007

Gestation
weeks (100%)

under 10 18%
10 -12 11%
13-19 13%
20 and over 58%

4.11 Complications

4.11.1 Complications were reported in about 370 cases in 2007, a rate of about 2 in every thousand abortions, slightly lower than in 2005 and 2006 (Table 8).

4.12 Selective terminations

- 4.12.1 In 2007, there were 47 abortions which were selective terminations. In 31 cases, 2 fetuses were reduced to 1 fetus.
- 4.12.2 In 2007, about two thirds (68%) of the selective terminations were performed under ground E.

4.13 Chlamydia screening

4.13.1 Screening for chlamydia is a key component of the Department of Health's Sexual Health and HIV Strategy. Analysis of returned data for 2007 shows that 73% of women aged under 25 having abortions in 2007 were offered chlamydia screening. This is little different to the proportion of all women screened which in 2007 was 73%.

4.14 Place of residence

4.14.1 Following the abolition of the English Health Authorities in April 2002, the place of residence details provided on the HSA4 form are allocated for analysis to Primary Care Organisations. For Wales, place of residence is allocated to their equivalents, Local Health Boards.

4.14.2 There were boundary changes for PCTs from 1st October 2006 with the number of PCTs reduced from 303 to 152.

5. Recommendations from the National Statistics Disclosure Review

In using and releasing health statistics there is a risk, generally with small numbers, of identifying individuals. To address this, the Department of Health asked the National Statistician to provide it with guidelines for interpreting the National Statistics Code of Practice and associated protocols in the handling of health statistics across the health community, in a way that balances data confidentiality risks with the public interest in the use of the figures. The Office for National Statistics (ONS) published a report on disclosure guidance for abortion statistics in July 2005 and a further report giving guidance for all health statistics was published in 2006. The report for abortions statistics can be found on the ONS website at:

<u>http://www.statistics.gov.uk/statbase/Product.asp?vlnk=11988</u>

The key recommendations can be found in Appendix B.

The 2007 Abortion Statistics bulletin applies the conclusions of the ONS disclosure review and guidance for abortion statistics. The guidance provides details on how to identify cells within tabulated statistics where the risks of a breach of confidentiality are unacceptable ("unsafe cells"). It then describes methods for reducing these risks.

For the bulletin, the risks identified have been reduced largely by redesigning tables. However, where table redesign proved to be impossible then suppression was applied to cells with fewer than 5 cases at National level or fewer than 10 cases at sub-national level and for highly sensitive variables such as gestation weeks by medical grounds. The same principles were also applied to tables showing rates and percentages.

In 2005, 3 year aggregate figures for 2003-2005 for some of the areas whose data are suppressed each year due to small numbers were published.

Further 3 year aggregate tables are planned for publication in 2009 for the years 2006-2008.

6. Editorial Notes

Percentages are subject to rounding and totals may not agree with the sum of the component figures shown. Rates are also rounded.

The following symbols are used in the tables:

- not applicable
- **..** = suppressed values

Enquiries about the data or requests for further information should be addressed to:

Abortion Statistics Department of Health Room 530B Skipton House 80 London Road London SE1 6LH

e-mail: abortion.statistics@dh.gsi.gov.uk

Extracts from this publication may be reproduced provided a reference to the source is given.

This bulletin for 2007, and previous bulletins for 2002-2006, can be found on the Department of Health website:

www.dh.gov.uk/publichealthstatistics

Data for 1991 to 2001 can be found on the Office for National Statistics website.

<u>http://www.statistics.gov.uk/statbase/product.asp?vlnk=68</u>

June 2008

Index to Tables

Table	Description
Table 1	Legal abortions: resident status and purchaser, 1968 to 2007
Table 2	Legal abortions: age by (i) purchaser, (ii) statutory grounds, (iii) gestation weeks, (iv) procedure, (v) marital status, (vi) ethnicity, (vii) parity, (viii) previous miscarriages, (ix) previous abortions, 2007
Table 3	Legal abortions: by (i) purchaser, (ii) statutory grounds, (iii) gestation weeks, (iv) procedure, (v) marital status, (vi) ethnicity, (vii) parity, (viii) previous miscarriages, (ix) previous abortions, 1997 to 2007
Table 4a	Legal abortions: by age, 2007
Table 4b	Legal abortions: number of previous abortions by age, 2007
Table 5	Legal abortions: gestation weeks by purchaser and method of abortion, 2007
Table 6	Legal abortions: gestation weeks by age and purchaser, 2007
Table 7a	Legal abortions: procedure by gestation weeks, 2007
Table 7b	Legal abortions: grounds by gestation weeks, 2007
Table 8	Legal abortions: complication rates by procedure and gestation weeks, 2007
Table 9	Legal abortions: principal medical condition for abortions performed under ground E, 2007
Table 10a	Legal abortions: numbers by Primary Care Organisation: England, Local Health Board: Wales, by age, 2007
Table 10b	Legal abortions: rates by Primary Care Organisation: England, Local Health Board: Wales, by age, 2007
Table 11	Legal abortions: purchaser, gestation, Sexual Health Indicator and repeat abortions, by Primary Care Organisation: England, Local Health Board: Wales, 2007
Table 12a	Legal abortions: non residents by country of residence, 2007
Table 12b	Legal abortions: non residents by (i) age, (ii) statutory grounds and (iii) gestation, 2007
Table 12c	Legal abortions: country of residence by age and gestation, 2007

Table 1 Legal abortions: resident status and purchaser, 1968 to 2007

England and Wales, residents and non-residents

Year	Total	Residents						Non-residents
						Rate per 1,0 residents ag		
		Total	NHS	NHS agency	Non- NHS	ASR*	Crude	Total
1968¹	23,641	22,332	14,492		7,840			1,309
1969	54,819	49,829	33,562		16,267	<i>5.2</i>	5.3	4,990
1970	86,565	75,962	47,370		28,592	8.0	8.1	10,603
1971	126,777	94,570	53,455		41,115	9.9	10.1	32,207
1972	159,884	108,565	56,861		51,704	11.3	11.5	51,319
1973	167,149	110,568	55,456		55,112	11.4	11.7	56,581
1974	162,940	109,445	56,076		53,369	11.2	11.5	53,495
1975	139,702	106,224	50,941	•	55,283	10.8	11.1	33,478
1976	129,673	101,912	50,569		51,343	10.2	10.5	27,761
1977	133,004	102,677	52,530		50,147	10.1	10.5	30,327
1978	141,558	111,851	55,040		56,811	10.9	11.3	29,707
1979	149,746	120,611	55,558	•	65,053	11.5	12.0	29,135
1980	160,903	128,927	60,594	•	68,333	12.1	12.6	31,976
1981	162,480	128,581	61,103	2,343	65,135	11.9	12.4	33,899
1982	163,045	128,553	62,409	4,425	61,719	11.8	12.3	34,492
1983	162,161	127,375	62,609	4,614	60,152	11.5	12.1	34,786
1984	169,993	136,388	64,823	4,912	66,653	12.2	12.8	33,605
1985	171,873	141,101	65,176	5,929	69,996	12.5	13.1	30,772
1986	172,286	147,619	67,451	6,819	73,349	13.0	13.5	24,667
1987	174,276	156,191	69,442	8,041	78,708	13.7	14.2	18,085
1988	183,798	168,298	69,103	9,357	89,838	14.8	15.3	15,500
1989	183,974	170,463	70,722	9,200	90,541	15.1	15.5	13,511
1990	186,912	173,900	73,517	9,582	90,801	15.5	15.8	13,012
1991	179,522	167,376	75,172	9,197	83,007	15.0	15.2	12,146
1992	172,069	160,501	79,543	11,982	68,976	14.6	14.8	11,568
1993	168,714	157,846	84,071	14,835	58,940	14.5	14.7	10,868
1994	166,876	156,539	85,243	19,551	51,745	14.6	14.6	10,337
1995	163,638	154,315	84,478	24,363	45,474	14.5	14.4	9,323
1996	177,495	167,916	88,410	33,255	46,251	16.0	15.7	9,579
1997	179,746	170,145	86,414	37,472	46,259	16.3	15.9	9,601
1998	187,402	177,871	87,568	44,332	45,971	17.2	16.6	9,531
1999	183,250	173,701	84,992	43,266	45,443	16.8	16.2	9,549
2000	185,375	175,542	81,074	50,400	44,068	17.0	16.3	9,833
2001	186,274	176,364	76,166	58,445	41,753	17.1	16.3	9,910
2002	185,385	175,932	73,544	63,938	38,450	17.0	16.2	9,453
2003	190,660	181,582	75,791	69,133	36,658	17.5	16.6	9,078
2004	194,498	185,713	75,328	77,289	33,096	17.8	16.9	8,785
2005	194,353	186,416	74,744	82,518	29,154	17.8	17.0	7,937
2006	201,173	193,737	75,328	92,494	25,915	18.3	17.5	7,436
2007	205,598	198,499	75,518	100,195	22,786	18.6	17.9	7,099

¹ 1968 figures contain only 8 months data as the legislation came into effect on 27 April 1968.

[.] Not applicable * Rates for all women residents age-standardised to the European population for ages 15-44

Table 2 Legal abortions: age by (i) purchaser, (ii) statutory grounds, (iii) gestation weeks, (iv) procedure, (v) marital status, (vi) ethnicity, (vii) parity, (viii) previous miscarriages, (ix) previous abortions, 2007

England and Wales, residents numbers

	All ages 1	Under 20	20-34	35 and over
All legal abortions	198,499	43,955	125,924	28,620
(i) Purchaser				
NHS	75,518	19,186	46,612	9,720
NHS agency	100,195	23,112	63,873	13,210
Non-NHS	22,786	1,657	15,439	5,690
(ii) Statutory grounds				
A (alone or with B, C or D) or F or G	112	19	71	22
B (alone)	385	101	223	61
B (with C or D)	237	48	146	43
C (alone)	193,592	43,493	122,779	27,320 432
D (alone, or with C) E (alone or with A, B, C, or D)	2,234 1,939	206 88	1,596 1,109	742
(iii) Gestation weeks	.,000	55	.,	
•	120 144	29.007	90.764	24 296
3 - 9 10 - 12	139,144 38,998	28,097 10,109	89,761 24,089	21,286 4,800
13 -19	17,430	4,954	10,308	2,168
20 and over	2,927	795	1,766	366
(iv) Procedure				
Surgical	129,972	29,335	81,716	18,921
Medical	68,527	14,620	44,208	9,699
(v) Marital status				
Single no partner	56,325	16,477	35,244	4,604
Single with partner	75,414	18,524	49,489	7,401
Single not stated	14,352	4,322	8,868	1,162
Married/civil partnership	29,325	323	18,068	10,934
Separated/widowed/divorced Not known & not stated	5,404 17,679	145 4,164	3,112 11,143	2,147 2,372
(vi) Ethnicity	,	.,	,	_,-,-
White - British	125,668	32,610	74,920	18,138
White - Irish	812	108	557	147
White - Any other White background	12,432	1,182	9,421	1,829
Mixed - White and Black Caribbean Mixed - White and Black African	1,791 759	636 167	1,046 514	109 78
Mixed - White and Asian	625	158	390	77
Mixed - Any Other	1,712	410	1,123	179
Asian or Asian British - Indian Asian or Asian British - Pakistani	5,561 3,043	424 324	4,202 2,197	935 522
Asian or Asian British - Bangladeshi	1,542	214	1,141	187
Asian - Any other Asian background	5,021	435	3,660	926
Black or Black British - Caribbean	5,896	1,258	3,771	867
Black or Black British - African Black or Black British - Any other	13,312 1,302	1,755 302	9,638 852	1,919 148
Chinese	2,328	176	1,826	326
Any other ethnic group	2,451	287	1,744	420
Not known/not stated	14,244	3,509	8,922	1,813
(vii) Parity (number of previous pregnancies resultir0	ng in live or still birth) 105,262	38,888	61,695	4,679
1+	93,237	5,067	64,229	23,941
	·			20,011
(viii) Number of previous pregnancies resulting in sp	oontaneous miscarriage 169,952	e and ectopic pregnanc 42,169	ies 106,915	20,868
1+	28,547	1,786	19,009	7,752
(ix) Number of previous pregnancies resulting in ab	ortion under the Act			
0	134,269	38,058	79,640	16,571
1+	64,230	5,897	46,284	12,049

¹ Age not stated have distributed pro-rata across age group 20-24

Table 3 Legal abortions: by (i) purchaser, (ii) statutory grounds, (iii) gestation weeks, (iv) procedure, (v) marital status, (vi) ethnicity, (vii) parity, (viii) previous miscarriages, (ix) previous abortions, 1997 to 2007

England and Wales, residents percentages

England and Wales, residents										porc	cinages
	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
All legal abortions (=100%)	170,145	177,871	173,701	175,542	176,364	175,932	181,582	185,713	186,416	193,737	198,499
(i) Purchaser											
NHS	51	49	49	46	43	42	42	40	40	39	38
NHS agency	22	25	25	29	33	36	38	42	44	48	50
Non-NHS	27	26	26	25	24	22	20	18	16	13	11
(ii) Statutory grounds											
A (alone or with B, C or D) or F or G	0	0	0	0	0	0	0	0	0	0	0
B (alone or with C or D)	1	1	1	1	1	1	1	1	1	1	0
C (alone)	91	91	92	92	93	94	94	95	96	97	98
D (alone, or with C)	6	6	6	5	5	4	3	3	2	1	1
E (alone or with A, B, C, or D)	1	1	1	1	1	1	1	1	1	1	1
(iii) Gestation weeks											
3 - 9	56	56	58	58	58	57	58	60	67	68	70
10 - 12	33	33	31	30	30	30	29	27	23	22	20
13 - 19	10	10	10	10	11	11	11	11	9	9	9
20 and over	1	1	1	1	2	2	2	2	1	2	1
(iv) Procedure											
Vacuum aspiration	84	82	82	81	81	81	80	76	71	64	60
Dilatation and evacuation	8	9	8	7	6	4	3	4	5	6	5
Other surgical	0	0	0	0	0	0	0	0	0	0	0
Antiprogresterone with or without											
prostaglandin	7	8	9	11	12	14	16	19	24	30	34
Other medical agent	1	1	1	1	1	0	0	0	0	0	0
(v) Marital status ¹											
Single no partner		•	•	•		25	35	31	33	32	31
Single with partner Single not stated	•	•	•	•	•	17 32	30 11	29 17	31 15	36 12	<i>4</i> 2 8
Single (total)	72	73	74	75	76	75	76	77	79	80	81
- , ,											
Married/civil partnership Separated	21 4	20 3	20 3	19 3	19 3	20 3	19 2	18 2	17 2	17 2	16 2
Widowed	0	0	0	0	0	0	0	0	0	0	0
Divorced	3	3	3	2	2	2	2	2	2	2	1
(i) Falsisia (
(vi) Ethnicity ¹ Asian or Asian British						7	7	7	0	0	0
Black or Black British	•	-	-	•	•	7 12	7 12	7 13	8 13	8 12	8 11
White	•	•	•	•	•	75	76	75	74	75	75
Chinese or other ethnic group						3	3	3	3	2	3
Mixed		-	-	-		3	2	2	2	3	3
(vii) Parity (number of previous pregna	ncies result	ting in live	or stillbi	rth)							
0	54	53	53	53	53	53	53	53	53	53	53
1+	46	47	47	47	47	47	47	47	47	47	47
(viii) Number of previous pregnancies r	esulting in	spontane	ous misc	arriage a	nd ectopi	ic pregna	ncies				
0						87	87	86	86	86	86
1+						13	13	14	14	14	14
(ix) Number of previous pregnancies re	sulting in a	bortion u	nder the	Act							
0	71	71	70	70	69	69	68	68	68	68	68
1+	29	29	30	30	31	31	32	32	32	32	32

¹ Percentages exclude not known and not stated

. Information was not collected Note: percentages are rounded and may not add up to 100

Table 4a Legal abortions: by age, 2007

Age ¹	Total	Rates per 1,000 women	Age	Total	Rates per 1,000 women
All ages	198,499	17.9			
Under 15	1,171	2	30-34	27,257	15
Under 14	163		30	6,004	18
14	1,008	3	31	5,884	17
			32	5,462	15
Under 16	4,376	4	33	5,004	13
Under 18	20,289	20	34	4,903	12
15-19	42,784	25	35-39	19,976	10
15	3,205	9	35	4,654	11
16	6,573	19	36	4,506	11
17	9,340	27	37	3,974	10
18	11,258	32	38	3,689	9
19	12,408	36	39	3,153	7
20-24	56,963	33	40-44	7,915	4
20	12,397	35	40	2,638	6
21	11,928	34	41	2,120	5
22	11,579	33	42	1,527	4
23	10,973	32	43	974	2
24	10,086	29	44	656	2
25-29	41,704	24	45-49	710	0
25	9,613	27	45	381	1
26	9,149	26	46	187	0
27	8,522	25	47	83	0
28	7,771	24	48	41	0
29	6,649	20	49	18	0
			50 and over	19	

¹ Age not stated have been distributed pro-rata across age group 20-24 Rates for all ages, under 15, under 16, under 18 and 35 and over are based on 2006 mid year population estimates; 15-44, 13-15, 15-17 and 35-44 respectively

Table 4b Legal abortions: number of previous abortions by age¹, 2007 England and Wales, residents

Number of previous abortions	Total	under 18	18 - 24	25 - 29	30+
0	134,269	18,824	58,433	24,939	32,073
1	49,484	1,378	18,220	12,530	17,356
2	11,136	74	3,223	3,145	4,694
3	2,605			787	1,214
4	740			225	379
5	184			47	119
6	52				27
7 or more	29				15
Total	198,499	20,289	80,629	41,704	55,877

¹ Age not stated have been distributed pro-rata across age group 20-24

[.] Rate not available

^{..} values are suppressed where totals are less than 10 (0 - 9) or where a presented total would reveal the suppressed value

Table 5 Legal abortions: gestation weeks by purchaser and method of abortion, 2007

		Purchaser (%)						
Gestation weeks	Total number of abortions	NHS	NHS agency	Non-NHS	Medical	Surgical		
Total	198,499	38	50	11	35	65		
3 and 4	2,704	4	50	47	90	10		
5	10,805	15	56	29	66	34		
6	27,795	27	52	21	58	42		
7	37,500	31	56	13	44	56		
8	36,095	45	47	8	36	64		
9	24,245	48	46	6	16	84		
10	18,746	56	39	5	10	90		
11	11,527	52	43	5	11	89		
12	8,725	46	49	5	14	86		
13	5,241	38	56	6	21	79		
14	3,743	31	64	5	24	76		
15	2,769	28	65	7	26	74		
16	1,903	28	66	7	27	73		
17	1,553	27	66	7	27	73		
18	1,319	18	72	9	22	78		
19	902	17	75	8	22	78		
20	921	19	73	7	19	81		
21	805	28	65	8	28	72		
22	625	28	63	10	24	76 70		
23 ¹	441	26	62	12	22	78		
24 and over	135	100	0	0	92	8		
24	29	•						
25	23	•		•				
26-27	25			•				
28-31	35	•	•	•	••	••		
32 and over	23	·	·					
Total	198,499	38	50	11	35	65		
3-8	114,899	32	52	16	48	52		
9-12	63,243	51	44	5	13	87		
13-19	17,430	30	63	7	24	76		
20-23	2,792	25	67	9	23	77		
24 and over	135	100	0	0	92	8		

¹ 24 weeks and 0 days gestation is included in 23 weeks .. Based on fewer than 10 (0-9) cases . Not applicable Note: percentages are rounded and may not add up to 100

Table 6 Legal abortions: gestation weeks by age and purchaser, 2007

percentages

Purchaser	Gestation weeks	All ages ¹	Under 20	20-34	35 and over
T-4-1	Tatal (400%)	400 400	40.055	405.004	00.000
Total	Total number (=100%)	198,499	43,955	125,924	28,620
	3-9	70	64	71	74
	10-12	20	23	19	17
	13-19	9	11	8	8
	20 and over	1	2	1	1
NHS	Total number (=100%)	75,518	19,186	46,612	9,720
	3-9	65	64	65	63
	10-12	27	29	27	26
	13-19	7	7	6	10
	20 and over	1	0	1	2
NHS agency	Total number (=100%)	100,195	23,112	63,873	13,210
	3-9	71	63	72	77
	10-12	17	19	16	14
	13-19	11	15	10	8
	20 and over	2	3	2	1
Non-NHS	Total number (=100%)	22,786	1,657	15,439	5,690
	3-9	86	74	86	88
	10-12	8	13	8	7
	13-19	5	10	5	4
	20 and over	1	3	1	1

¹ Age not stated have been distributed pro-rata across age group 20-24 Note: percentages are rounded and may not add up to 100

percentages

Procedure	Gestation weeks						
	Total	3 - 9	10 - 12	13 - 14	15 - 19	20 & over	
Total abortions (=100%)	198,499	139,144	38,998	8,984	8,446	2,927	
Surgical	65	57	89	78	74	74	
Vacuum Aspiration Dilatation and Evacuation Feticide with a surgical evacuation ¹	60 5 0	57 1 0	87 2 0	65 12 0	0 74 1	0 51 23	
Medical	35	43	11	22	26	26	
Antiprogresterone with or without prostaglandin Other medical agent Feticide with a medical evacuation	34 0 0	43 0 0	11 0 0	22 0 0	24 1 0	12 2 12	

¹includes feticide with no method of evacuation and surgical 'other'.

Note: percentages are rounded and may not add to 100

Table 7b Legal abortions: grounds by gestation weeks, 2007

England and Wales, residents

numbers

	Gestation weeks							
Grounds	Total	3 - 9	10 - 12	13 - 19	20 & over			
A (alone, or with B, C, D) or F or G B (alone, or with C or D) C (alone) D (alone, or with C) E (alone, or with A, B, C or D)	112 622 193,592 2,234 1,939	66 334 137,300 1,422 22	24 233 37,832 640 269	 16,200 1,000	 2,260 648			
Total	198,499	139,144	38,998	17,430	2,927			

 $[\]dots$ total less than 10 (0-9) or where a presented total would reveal the suppressed value.

Table 8 Legal abortions: complication¹ rates by procedure and gestation weeks, 2007

complication rates per 1,000 abortions

Gestation weeks	Total all	Procedure	
	procedures	Surgical	Medical
Total complications (numbers)	373	213	160
Rate, all gestations	2	2	2
3 - 9	1	1	2
10 - 12	3	2	5
13 - 19	3	2	7
20 & over	5		16

¹ Complications include: haemorrhage, uterine perforation and/or sepsis and are those reported up to the time of discharge from the place of termination

^{..}Based on fewer than 10 (0-9) cases

Table 9 Legal abortions: principal medical condition for abortions performed under ground E, 2007

numbers

ICD-10 code ¹	Condition	Total	Over 24 weeks gestation
	Condition		
Total grounds E alone	or with any other	1,939	135 ³
Q00-Q89	Congenital malformations total	885	93
Q00-Q07	the nervous system total	473	59
Q00	anencephaly	144	
Q01	encephalocele	33	
Q03	hydrocephalus	31	••
Q04	other malformations of the brain	78	19
Q05	spina bifida	117	
Q02,Q06, Q07 ²	other	70	19
Q10-Q89	other congenital malformations total	412	34
Q20-Q28	the cardiovascular system	114	
Q30-Q34	the respiratory system	11	
Q60-Q64	the urinary system	74	
Q65-Q79	the musculoskeletal system	125	13
Q10-Q18, Q35-Q56	, Q80-Q89 ² other	88	
Q90-Q99	Chromosomal abnormalities total	747	31
Q90	Down's syndrome	437	
Q910-Q913	Edwards' syndrome	129	10
Q914-Q917	Patau's syndrome	63	
Q92-Q99 ²	other	118	
	Other conditions total	307	11
P00-P04	fetus affected by maternal factors	101	
P05-P08	fetal disorders relating to gestation and	growth 12	
P832-P833	hydrops fetalis not due to haemolytic dis		
Z80-Z84	family history of heritable disorder	145	
	other *	17	

¹ ICD-10 codes are taken from the International Statistical Classification of Diseases and Related Health Problems (Tenth Revision) published by the World Health Organisation (WHO) Figures for specific groups shown only where there are 10 or more cases in total

² Codes listed under 'other' have cases between 0 and 9 inclusive

 $^{^{\}rm 3}$ Over 24 week total includes abortions carried out under grounds A, B, F or G.

^{..} Fewer than 10 cases (0-9) or where a presented figure would reveal a suppressed value.

^{*} Includes cases where insufficient detail was available to allocate an ICD10 code.

Table 10a Legal abortions: numbers by Primary Care Organisation: England, Local Health Board: Wales, by age, 2007
Residents

					Age ¹			
	Primary Care Organisation/ Local Health Board	Total number of abortions	Under 18	18-19	20-24	25-29	30-34	35 +
ENGLAND &	WALES	198,499	20,289	23,666	56,963	41,704	27,257	28,620
ENGLAND		189.734	19,246	22,457	54,322	39,997	26,217	27,495
NORTH EA	AST SHA	7,601	1,025	1,031	2,314	1,509	861	861
5ND	County Durham	1,186	176	170	351	231	121	137
5J9	Darlington	346	59	42	113	62	38	32
5KF	Gateshead	493	63	61	146	93	75	55
5D9	Hartlepool	297	44	35	93	62	31	32
5KM	Middlesbrough	526	62	72	181	109	57	45
5D7	Newcastle	1,063	105	143	356	248	113	98
5E1	North Tees	651	83	103	187	131	70	77
5D8	North Tyneside	652	95	84	196	121	68	88
TAC	Northumberland	743	101	85	210	135	103	109
5QR	Redcar & Cleveland	367	49	49	110	70	39	50
5KG	South Tyneside	436	68	66	110	91	49	52
5KL	Sunderland Teaching	841	120	121	261	156	97	86
NORTH W	EST SHA	25,025	3,035	3,385	7,668	4,863	3,105	2,969
5HG	Ashton, Leigh & Wigan	964	133	133	285	170	128	115
5CC	Blackburn & Darwen Teaching	484	48	68	148	101	64	55
5HP	Blackpool	501	46	63	179	105	52	56
5HQ	Bolton	1,022	124	125	311	205	143	114
5JX	Bury	685	86	95	212	123	84	85
5NP	Central & Eastern Cheshire	1,154	157	155	334	192	152	164
5NG	Central Lancashire	1,290	176	189	381	227	154	163
5NE	Cumbria	1,217	178	169	348	206	145	171
5NH	East Lancashire Teaching	1,275	179	187	372	218	145	174
5NM	Halton & St Helens	1,090	146	189	315	187	130	123
5NQ	Heywood, Middleton & Rochdale	695	90	92	213	129	94	77
5J4	Knowsley	751	89	97	247	146	85	87
5NL	Liverpool	2,372	234	326	774	542	264	232
5NT	Manchester	3,003	255	368	987	711	408	274
5NF	North Lancashire Teaching	774	104	100	235	135	93	107
5J5	Oldham	746	89	90	239	142	95	91
5F5	Salford Teaching	1,008	122	130	338	207	106	105
5NJ	Sefton	903 905	126 114	128 106	277 262	146 175	106 118	120 130
5F7	Stockport							
5LH 5NR	Tameside & Glossop Trafford	935 793	131 80	123 103	289 200	190 179	93 114	109 117
5J2	Warrington	631	64	103	178	109	96	82
5NN	West Cheshire	650	99	98	186	103	82	83
5NK	Wirral	1,177	165	149	358	216	154	135
YORKSHIF	RE & THE HUMBER SHA	16,683	2,090	2,246	4,999	3,194	1,968	2,186
5JE	Barnsley	651	87	78	194	120	81	91
5NY	Bradford & Airedale teaching	1,737	204	212	518	337	236	230
5J6	Calderdale	603	75	65	189	99	230 87	88
5N5	Doncaster	1,175	153	155	365	224	133	145
5NW	East Riding of Yorkshire	676	108	97	167	115	89	100
5NX	Hull Teaching	933	128	135	304	178	85	103
5N2	Kirklees	1,258	150	171	373	254	144	166
5N1	Leeds	3,004	313	393	941	649	366	342
5AN	North East Lincolnshire	605	85	97	179	117	63	64
5EF	North Lincolnshire	421	68	67	107	67	57	55
5NV	North Yorkshire & York	1,845	236	267	513	304	200	325
5H8	Rotherham	806	107	116	248	138	97	100
5N4	Sheffield	1,939	235	251	609	377	216	251
5N3	Wakefield District	1,030	141	142	292	215	114	126

Table 10a Legal abortions: numbers by Primary Care Organisation: England, Local Health Board: Wales, by age, 2007
Residents

					Age ¹			_
	Primary Care Organisation/ Local Health Board	Total number of abortions	Under 18	18-19	20-24	25-29	30-34	35 +
ENGLAND 8	& WALES	198,499	20,289	23,666	56,963	41,704	27,257	28,620
ENGLAND		189,734	19,246	22,457	54,322	39,997	26,217	27,495
EAST MID	DLANDS SHA	12,738	1,431	1,686	3,782	2,486	1,603	1,750
5ET	Bassetlaw	285	48	49	74	53	24	37
5N7	Derby City	893	81	123	282	178	112	117
5N6	Derbyshire County	1,673	225	206	430	297	240	275
5PC	Leicester City	1,519	112	196	487	362	193	169
5PA	Leicestershire County & Rutland	1,775	239	224	490	314	221	287
5N9	Lincolnshire	1,593	217	229	470	277	190	210
5PD	Northamptonshire Teaching	2,069	209	231	616	447	278	288
5EM	Nottingham City	1,271	106	181	466	250	145	123
5N8	Nottinghamshire County	1,660	194	247	467	308	200	244
WEST MI	DLANDS SHA	20,970	2,288	2,651	6,352	4,234	2,711	2,734
5PG	Birmingham East & North	2,041	212	279	659	411	236	244
5MD	Coventry Teaching	1,948	185	224	623	414	270	232
5PE	Dudley	1,044	135	124	293	199	153	140
5MX	Heart of Birmingham Teaching	2,037	139	197	676	502	273	250
5CN	Herefordshire	470	62	72	126	81	60	69
5PH	North Staffordshire	509	76	67	160	91	55	60
5PF	Sandwell	1,292	137	139	364	263	200	189
5M2	Shropshire County	621	94	96	149	108	64	110
TAM	Solihull	743	83	112	229	147	75	97
5M1	South Birmingham	1,745	193	244	573	348	204	183
5PK	South Staffordshire	1,848	232	250	530	300	242	294
5PJ	Stoke on Trent	883	120	104	290	172	103	94
5MK	Telford & Wrekin	535	63	75	144	118	70	65
5M3	Walsall Teaching	1,018	109	135	327	189	144	114
5PM	Warwickshire	1,701	179	225	455	370	209	263
5MV	Wolverhampton City	1,164	110	129	362	248	182	133
5PL	Worcestershire	1,371	159	179	392	273	171	197
EAST OF	ENGLAND SHA	16,576	1,751	2,018	4,448	3,348	2,293	2,718
5P2	Bedfordshire	1,206	163	136	348	222	157	180
5PP	Cambridgeshire	1,377	133	185	358	290	162	249
5P3	East & North Hertfordshire	1,694	167	205	449	346	232	295
5PR	Great Yarmouth & Waveney	510	94	85	132	88	60	51
5GC	Luton	905	65	97	275	209	146	113
5PX	Mid Essex	951	100	109	267	168	135	172
5PQ	Norfolk	1,743	188	241	468	327	230	289
5PW	North East Essex	765	95	128	209	136	93	104
5PN	Peterborough	711	71	71	199	185	90	95
5P1	South East Essex	1,034	107	136	281	190	166	154
5PY	South West Essex	1,547	152	149	397	358	230	261
5PT	Suffolk	1,313	137	166	352	243	173	242
5PV	West Essex	1,044	113	121	262	219	149	180
5P4	West Hertfordshire	1,776	166	189	451	367	270	333

Table 10a Legal abortions: numbers by Primary Care Organisation: England, Local Health Board: Wales, by age, 2007
Residents

					Age ¹			
	Primary Care Organisation/ Local Health Board	Total number of abortions	Under 18	18-19	20-24	25-29	30-34	35 +
ENGLAND &	& WALES	198,499	20,289	23,666	56,963	41,704	27,257	28,620
ENGLAND		189,734	19,246	22,457	54,322	39,997	26,217	27,495
LONDON	SHA	50,213	3,386	4,454	13,862	12,560	8,218	7,733
5C2	Barking & Dagenham	1,491	100	128	465	373	247	178
5A9	Barnet	1,788	112	128	500	469	280	299
TAK	Bexley Care Trust	1,018	112	113	279	212	147	155
5K5	Brent Teaching	2,367	117	177	582	703	417	371
5A7	Bromley	1,229	127	147	344	239	152	220
5K7	Camden	1,261	62	86	375	363	190	185
5C3	City & Hackney Teaching	2,036	142	170	588	499	348	289
5K9	Croydon	2,312	203	251	586	532	398	342
5HX	Ealing	1,948	86	137	536	524	333	332
5C1	Enfield	1,827	156	190	513	403	281	284
5A8	Greenwich Teaching	1,869	152	191	513	466	318	229
5A0 5H1	Hammersmith & Fulham	1,231	63	88	324	351	212	193
5C9		1,769	139	177	512	417	285	239
5K6	Harrayy		63	108	303	286	204	247
	Harrow	1,211						
5A4	Havering	1,014	99	130	284	196	151	154
5AT	Hillingdon	1,476	129	169	387	341	205	245
5HY	Hounslow	1,508	107	112	441	363	279	206
5K8	Islington	1,424	90	111	395	395	230	203
5LA	Kensington & Chelsea	788	35	47	205	193	144	164
5A5	Kingston	712	31	76	250	131	108	116
5LD	Lambeth	2,664	167	219	725	688	446	419
5LF	Lewisham	2,293	173	209	618	594	372	327
5C5	Newham	1,788	83	151	543	494	277	240
5NA	Redbridge	1,600	92	146	451	349	268	294
5M6	Richmond & Twickenham	573	35	50	131	123	95	139
5LE	Southwark	2,877	184	229	777	747	513	427
5M7	Sutton & Merton	1,768	154	181	461	382	282	308
5C4	Tower Hamlets	1,691	102	139	537	472	251	190
5NC	Waltham Forest	1,783	137	162	500	422	283	279
5LG	Wandsworth	1,685	89	145	401	510	272	268
5LC	Westminster	1,212	45	87	336	323	230	191
SOUTH E	AST COAST SHA	13,926	1,388	1,715	3,636	2,769	1,997	2,421
5LQ	Brighton & Hove City	1,406	94	160	419	302	214	217
5P7	East Sussex Downs & Weald	898	108	123	245	155	107	160
5QA	Eastern & Coastal Kent	2,523	275	349	649	496	349	405
5P8	Hastings & Rother	546	76	84	151	91	63	81
5L3	Medway	1,103	127	138	294	238	151	155
5P5	Surrey	3,154	266	371	790	603	468	656
5P9	West Kent	2,154	222	244	539	451	331	367
5P6	West Sussex	2,142	220	246	549	433	314	380
SOUTH C	ENTRAL SHA	12,356	1,216	1,522	3,397	2,458	1,762	2,001
5QG	Berkshire East	1,533	114	150	400	338	248	283
5QF	Berkshire West	1,453	141	178	353	318	226	237
5QD	Buckinghamshire	1,331	141	170	318	268	180	254
5QC	Hampshire	3,306	395	447	912	579	453	520
5QT	Isle of Wight NHS	277	38	52	74	49	29	35
5CQ	Milton Keynes	1,015	86	105	257	227	182	158
5QE	Oxfordshire	1,681	165	201	459	315	242	299
5GL 5FE	Portsmouth City Teaching	832	72	108	289	154	102	107
5L1	Southampton City	928	64	111	335	210	102	107
JLI	Countainploif Oily	320	04	111	333	210	100	100

Table 10a Legal abortions: numbers by Primary Care Organisation: England, Local Health Board: Wales, by age, 2007
Residents

					Age ¹			
	Primary Care Organisation/ Local Health Board	Total number of abortions	Under 18	18-19	20-24	25-29	30-34	35 +
ENGLAND 8	& WALES	198,499	20,289	23,666	56,963	41,704	27,257	28,620
ENGLAND		189,734	19,246	22,457	54,322	39,997	26,217	27,495
SOUTH W	EST SHA	13,646	1,636	1,749	3,864	2,576	1,699	2,122
5FL	Bath & North East Somerset	465	48	60	142	86	55	74
5QN	Bournemouth & Poole Teaching	1,080	101	140	344	225	111	159
5QJ	Bristol	1,626	147	189	507	354	203	226
5QP	Cornwall & Isles of Scilly	1,199	174	167	304	219	148	187
5QQ	Devon	1,612	223	216	448	286	194	245
5QM	Dorset	822	116	105	213	149	109	130
5QH	Gloucestershire	1,521	180	195	414	304	192	236
5M8	North Somerset	453	49	38	120	103	63	80
5F1	Plymouth Teaching	767	87	101	251	146	95	87
5QL	Somerset	1,186	155	141	334	187	161	208
5A3	South Gloucestershire	676	89	87	185	113	92	110
5K3	Swindon	664	62	92	177	131	104	98
TAL	Torbay	432	65	66	136	58	46	61
5QK	Wiltshire	1,143	140	152	289	215	126	221
WALES		8,765	1,043	1,209	2,641	1,707	1,040	1,125
6B1	Angelsey	182	16	30	55	25	27	29
6C2	Blaenau Gwent	201	23	26	55	52	29	16
6B3	Bridgend	384	49	58	97	74	57	49
6B2	Caerphilly	544	76	65	159	103	68	73
6A8	Cardiff	1,234	115	158	415	256	157	133
6B7	Carmarthen	366	45	51	106	68	47	49
6A4	Ceredigion	174	21	29	60	25	12	27
6A7	Conwy	276	36	40	78	54	25	43
6C1	Denbighshire	290	37	59	71	54	20	49
6B5	Flintshire	471	52	61	144	70	60	84
6A2	Gwynedd	346	41	41	114	58	40	52
6B8	Merthyr Tydfil	160	22	20	53	36	18	11
6A1	Monmouth	214	32	36	47	39	20	40
6A5	Neath & Port Talbot	368	52	44	113	64	40	55
6B9	Newport	512	56	69	139	122	61	65
6A3	Pembroke	327	41	44	105	63	44	30
6C4	Powys	331	33	43	87	63	48	57
6A9	Rhondda, Cynon, Taff	745	96	104	239	151	88	67
6A6	Swansea	554	65	84	193	106	48	58
6B6	The Vale of Glamorgan	345	43	57	99	69	31	46
6C3	Torfaen	317	48	34	89	69	38	39
6B4	Wrexham	424	44	56	123	86	62	53

¹ Age not stated have been distributed pro-rata across age group 20-24

Table 10b Legal abortions: rates by Primary Care Organisation: England, Local Health Board: Wales, by age, 2007

Residents rates per 1,000 women

•	re Organisation/	Total	Rate per 1000 women resident		Age ¹						
Local Healt	h Board	number of abortions	aged 15-44 ASR ²	Under 18	18-19	20-24	25-29	30-34	35 +		
ENGLAND A	ND WALES	198,499	18.6	19.8	34.3	32.6	24.3	15.1	6.9		
ENGLAND		189,734	18.8	20.0	34.5	32.9	24.5	15.2	7.0		
NORTH EA	AST SHA	7,601	15	21	29	26	20	11	4		
5ND	County Durham	1,186	12	19	24	20	18	8	4		
5J9	Darlington	346	20	30	36	43	21	12	4		
5KF	Gateshead	493	14	17	27	26	17	12	4		
5D9	Hartlepool	297	17	23	28	32	23	12	5		
5KM	Middlesbrough	526	18	21	31	32	26	14	4		
5D7	Newcastle	1,063	16	23	27	21	26	14	5		
5E1	North Tees	651	18	22	40	31	23	11	5		
5D8	North Tyneside	652	18	26	37	35	20	11	6		
TAC	Northumberland	743	15	18	25	28	19	12	5		
5QR	Redcar & Cleveland	367	14	17	27	27	19	10	5		
5KG 5KL	South Tyneside Sunderland Teaching	436 841	15 15	22 22	32 32	23 27	22 18	11 11	5 4		
	Ğ				32						
NORTH WE		25,025	18	22	36	33	24	14	6		
5HG	Ashton, Leigh & Wigan	964	17	22	35	32	19	13	5		
5CC	Blackburn & Darwen Teaching	484	17	15	31	32	22	13	5		
5HP	Blackpool	501	20	17	35	43	29	13	5		
5HQ	Bolton	1,022	20	22	36	40	26	16	6		
5JX 5NP	Bury	685	20	23	42	41	23	14	6 4		
5NP 5NG	Central & Eastern Cheshire Central Lancashire	1,154 1,290	15 15	18 20	31 29	29 24	18 19	11 11	5		
5NE	Cumbria	1,217	15 15	19	30	30	18	10	5		
5NH	East Lancashire Teaching	1,275	18	21	38	34	20	12	6		
5NM	Halton & St Helens	1,090	19	24	48	34	22	14	5		
5NQ	Heywood, Middleton & Rochdale	695	17	20	32	33	21	14	5		
5J4	Knowsley	751	24	26	42	47	33	18	7		
5NL	Liverpool	2,372	23	27	41	33	35	19	8		
5NT	Manchester	3,003	24	32	43	32	31	25	9		
5NF	North Lancashire Teaching	774	12	16	20	20	17	11	5		
5J5	Oldham	746	17	20	31	35	21	13	5		
5F5	Salford Teaching	1,008	21	29	43	36	26	15	7		
5NJ	Sefton	903	19	21	36	36	24	15	6		
5F7	Stockport	905	18	20	31	35	23	13	6		
5LH	Tameside & Glossop	935	19	25	37	39	26	11	5		
5NR	Trafford	793	20	19	43	35	29	16	7		
5J2	Warrington	631	18	16	42	33	21	15	5		
5NN 5NK	West Cheshire Wirral	650 1,177	15 21	23 25	30 37	25 41	17 28	12 17	5 6		
SIVIN	vviitai	1,177	21	20	01	71	20	,,	Ü		
	RE & THE HUMBER SHA	16,683	16	21	31	27	21	12	6		
5JE	Barnsley	651	16	20	28	31	20	12	5		
5NY	Bradford & Airedale Teaching	1,737	16 17	20	31	28	19 19	14	7		
5J6	Calderdale Doncaster	603	17 22	19 26	25 42	35 42	18	13 16	5 7		
5N5 5NW	East Riding of Yorkshire	1,175 676	22 13	26 18	<i>4</i> 2 25	43 22	28 17	16 10	4		
5NX	Hull Teaching	933	13 16	18 25	25 35	22 26	17	10	6		
5N2	Kirklees	1,258	16	19	31	28	21	11	5		
5N1	Leeds	3,004	16	22	31	23	22	14	6		
5AN	North East Lincolnshire	605	20	24	42	38	27	14	5		
5EF	North Lincolnshire	421	16	22	38	27	17	13	5		
5NV	North Yorkshire & York	1,845	13	16	26	23	16	9	5		
5H8	Rotherham	806	17	21	38	34	19	12	5		
5N4	Sheffield	1,939	17	25	28	25	22	13	7		
	Wakefield District	1,030	17	22	35	30	24	11	5		

Table 10b Legal abortions: rates by Primary Care Organisation: England, Local Health Board: Wales, by age, 2007

Residents rates per 1,000 women

Primary Ca	are Organisation/	Total	Rate per 1000 women resident		Age ¹						
Local Heal	th Board	number of abortions	aged 15-44 ASR ²	Under 18	18-19	20-24	25-29	30-34	35 +		
ENGLAND A	AND WALES	198,499	18.6	19.8	34.3	32.6	24.3	15.1	6.9		
ENGLAND		189,734	18.8	20.0	34.5	32.9	24.5	15.2	7.0		
EAST MID	LANDS SHA	12,738	15	17	29	27	20	12	5		
5ET	Bassetlaw	285	15	22	39	27	19	8	4		
5N7	Derby City	893	18	18	38	30	22	14	7		
5N6	Derbyshire County	1,673	14	16	26	25	16	11	5		
5PC	Leicester City	1,519	20	20	38	30	31	18	8		
5PA	Leicestershire County & Rutland	1,775	14	18	25	26	19	11	5		
5N9	Lincolnshire	1,593	14	16	27	26	18	10	4		
5PD	Northamptonshire Teaching	2,069	17	16	28	32	23	12	5		
5EM	Nottingham City	1,271	16	21	28	21	21	15	7		
5N8	Nottinghamshire County	1,660	14	15	32	25	17	10	5		
WEST MID	DLANDS SHA	20,970	20	21	37	37	26	16	7		
5PG	Birmingham East & North	2,041	24	24	48	46	30	18	8		
5MD	Coventry Teaching	1,948	28	32	43	44	37	28	11		
5PE	Dudley	1,044	19	23	35	34	23	16	6		
5MX	Heart of Birmingham Teaching	2,037	28	23	36	43	42	29	14		
5CN	Herefordshire	470	18	18	38	33	22	13	5		
5PH	North Staffordshire	509	13	19	22	24	17	9	4		
5PF	Sandwell	1,292	22	24	37	39	27	20	9		
5M2	Shropshire County	621	14	17	30	24	18	8	5		
TAM	Solihull	743	21	19	<i>4</i> 5	43	29	13	6		
5M1	South Birmingham	1,745	21	29	45	34	26	18	8		
5PK	South Staffordshire	1,848	18	19	35	34	20	13	6		
5PJ	Stoke on Trent	883	17	25	29	31	22	13	5		
5MK	Telford & Wrekin	535	17	18	33	31	26	13	5		
5M3	Walsall Teaching	1,018	21	21	40	41	26	18	6		
5PM	Warwickshire	1,701	18	18	38	32	25	13	7		
5MV	Wolverhampton City	1,164	24	24	42	44	31	24	8		
5PL	Worcestershire	1,371	15	15	30	30	19	10	5		
EAST OF	ENGLAND SHA	16,576	16	17	30	28	20	12	6		
5P2	Bedfordshire	1,206	16	21	29	31	18	11	5		
5PP	Cambridgeshire	1,377	11	13	23	17	16	8	5		
5P3	East & North Hertfordshire	1,694	16	16	32	29	21	12	7		
5PR	Great Yarmouth & Waveney	510	15	24	34	25	18	11	3		
5GC	Luton	905	21	17	36	35	29	23	8		
5PX	Mid Essex	951	15	14	26	30	16	11	6		
5PQ	Norfolk	1,743	13	15	28	22	17	11	6		
5PW	North East Essex	765	13	17	32	20	15	10	5		
5PN	Peterborough	711	21	21	35	38	32	15	8		
5P1	South East Essex	1,034	18	17	36	33	22	17	6		
5PY	South West Essex	1,547	20	20	32	36	28	17	8		
5PT	Suffolk	1,313	13	12	26	24	15	10	6		
5PV	West Essex	1,044	21	21	38	37	29	17	8		
5P4	West Hertfordshire	1,776	18	16	34	35	22	14	8		

Table 10b Legal abortions: rates by Primary Care Organisation: England, Local Health Board: Wales, by age, 2007

Residents rates per 1,000 women

,	are Organisation/	Total	Rate per 1000 women resident			Age ¹			
Local Heal	th Board	number of abortions	aged 15-44 ASR ²	Under 18	18-19	20-24	25-29	30-34	35 +
ENGLAND A	AND WALES	198,499	18.6	19.8	34.3	32.6	24.3	15.1	6.9
ENGLAND		189,734	18.8	20.0	34.5	32.9	24.5	15.2	7.0
LONDON	SHA	50,213	28	27	51	50	34	23	12
5C2	Barking & Dagenham	1,491	40	32	65	75	58	38	13
5A9	Barnet	1,788	25	20	36	49	34	20	11
TAK	Bexley Care Trust	1,018	24	24	40	43	32	20	8
5K5	Brent Teaching	2,367	35	25	53	55	51	34	17
5A7	Bromley	1,229	23	22	47	48	26	14	9
5K7	Camden	1,261	19	23	29	31	22	14	10
5C3	City & Hackney Teaching	2,036	36	37	63	70	40	30	15
5K9	Croydon	2,312	33	31	61	59	45	30	11
5HX	Ealing	1,948	27	18	41 55	50	35	23	14
5C1 5A8	Enfield Greenwich Teaching	1,827 1,869	30 35	30 38	55 65	54 62	36 46	26 30	12 13
5A6 5H1	Hammersmith & Fulham	1,231	27	36 29	53	62 45	29	20	13
5C9	Haringey Teaching	1,769	32	38	65	62	29 34	25	12
5K6	Harrow	1,211	27	15	45	46	37	24	15
5A4	Havering	1,014	25	22	48	44	31	22	9
5AT	Hillingdon	1,476	26	27	48	40	38	22	12
5HY	Hounslow	1,508	30	29	43	56	35	29	12
5K8	Islington	1,424	27	34	49	43	30	21	13
5LA	Kensington & Chelsea	788	18	18	27	31	20	15	11
5A5	Kingston	712	19	12	35	39	20	16	9
5LD	Lambeth	2,664	39	44	79	72	38	29	18
5LF	Lewisham	2,293	37	40	69	69	47	30	14
5C5	Newham	1,788	27	17	43	48	40	25	13
5NA	Redbridge	1,600	30	18	49	54	34	27	15
5M6	Richmond & Twickenham	573	16	13	28	29	19	12	8
5LE	Southwark	2,877	41	47	77	68	46	37	19
5M7	Sutton & Merton	1,768	22	23	46	41	23	16	9
5C4	Tower Hamlets	1,691	27	28	48	52	30	19	14
5NC	Waltham Forest	1,783	36	35	62	69	<i>4</i> 5	27	14
5LG 5LC	Wandsworth Westminster	1,685	22 18	31 20	57 30	36 27	21 19	13 17	11 11
		1,212	16	20	30			17	11
SOUTH EA	AST COAST SHA	13,926	18	17	34	32	23	15	7
5LQ	Brighton & Hove City	1,406	23	22	40	35	31	20	10
5P7	East Sussex Downs & Weald	898	18	17	33	33	21	13	7
5QA	Eastern & Coastal Kent	2,523	19	19	36	29	26	17	8
5P8	Hastings & Rother	546	20	23	42	39	23	14	7
5L3	Medway	1,103	22	24	42	37	29	18	8
5P5	Surrey	3,154	16	13	33	30	19	13	7
5P9	West Kent	2,154	18	16	34	33	24	15	7
5P6	West Sussex	2,142	17	16	29	31	22	14	6
SOUTH CE	ENTRAL SHA	12,356	15	16	30	26	20	13	6
5QG	Berkshire East	1,533	19	15	31	33	23	16	9
5QF	Berkshire West	1,453	16	16	30	24	21	14	7
5QD	Buckinghamshire	1,331	15	14	32	26	19	11	6
5QC	Hampshire	3,306	15	16	31	28	18	12	5
5QT	Isle of Wight NHS	277	14	15	35	24	17	9	4
5CQ	Milton Keynes	1,015	22	19	40	38	28	20	8
5QE	Oxfordshire	1,681	13	15	24	19	16	11	6
5FE	Portsmouth City Teaching	832	17	21	32	25	19	15	8
5L1	Southampton City	928	15	17	25	23	20	12	8

Table 10b Legal abortions: rates by Primary Care Organisation: England, Local Health Board: Wales, by age, 2007

Residents rates per 1,000 women

Primary Ca	are Organisation/	Total	Rate per 1000 women resident			Age ¹			
Local Heal		number of abortions	aged 15-44 ASR ²	Under 18	18-19	20-24	25-29	30-34	35 +
ENGLAND A	AND WALES	198,499	18.6	19.8 20.0	34.3	32.6	24.3	15.1	6.9
ENGLAND		189,734	18.8		34.5	32.9	24.5	15.2	7.0
SOUTH W	EST SHA	13,646	15	17	27	26	19	11	6
5FL	Bath & North East Somerset	465	13	15	21	18	18	11	6
5QN	Bournemouth & Poole Teaching	1,080	18	19	35	34	25	12	7
5QJ	Bristol	1,626	15	22	28	22	19	13	8
5QP	Cornwall & Isles of Scilly	1,199	14	18	27	24	18	10	5
5QQ	Devon	1,612	13	17	23	22	18	10	5
5QM	Dorset	822	15	15	25	30	20	12	5
5QH	Gloucestershire	1,521	15	15	27	28	20	11	5
5M8	North Somerset	453	14	13	18	26	22	11	5
5F1	Plymouth Teaching	767	14	19	25	23	19	12	5
5QL	Somerset	1,186	14	14	24	30	16	11	5
5A3	South Gloucestershire	676	14	18	30	28	15	11	5
5K3	Swindon	664	18	18	39	33	20	14	6
TAL	Torbay	432	20	27	42	42	20	14	7
5QK	Wiltshire	1,143	16	15	31	33	20	9	6
WALES		8,765	16	18	30	27	21	12	5
6B1	Angelsey	182	16	12	38	33	15	15	6
6C2	Blaenau Gwent	201	16	15	26	27	28	14	3
6B3	Bridgend	384	16	19	35	28	21	13	5
6B2	Caerphilly	544	17	22	29	32	20	12	6
6A8	Cardiff	1,234	15	19	27	22	21	15	6
6B7	Carmarthen	366	12	13	23	23	15	10	4
6A4	Ceredigion	174	11	17	18	15	13	7	6
6A7	Conwy	276	17	17	36	34	22	9	6
6C1	Denbighshire	290	19	20	54	32	23	8	7
6B5	Flintshire	471	18	18	36	37	18	13	7
6A2	Gwynedd	346	15	19	23	26	19	12	7
6B8	Merthyr Tydfil	160	16	18	28	29	24	11	3
6A1	Monmouth	214	17	18	37	29	23	9	6
6A5	Neath & Port Talbot	368	15	19	26	28	18	10	5
6B9	Newport	512	19	19	35	30	32	14	6
6A3	Pembroke	327	18	17	33	41	23	14	4
6C4	Powys	331	18	13	31	34	25	15	6
6A9	Rhondda, Cynon, Taff	745	16	21	32	30	21	12	4
6A6	Swansea	554	12	16	24	21	17	7	4
6B6	The Vale of Glamorgan	345	16	17	35	30	22	9	5
6C3	Torfaen	317	19	25	28	35	27	15	6
6B4	Wrexham	424	17	18	38	31	22	15	5

 $^{^{\}rm 1}$ Age not stated have been distributed $\,$ pro-rata across age group 20-24 $\,$

Rates for all ages, under 18 and 35 and over are based on populations 15-44, 15-17 and 35-44 respectively

 $^{^{\}rm 2}$ Rates for PCOs and LHBs are based on 2006 mid year population estimates

Table 11 Legal abortions: purchaser, gestation, Sexual Health Indicator and repeat abortions, by Primary Care Organisation, England and Local Health Board, Wales, 2007

		Purcl	haser (%)	Gesta	ation we	eks (%)	Sexu	al Health Indica	Indicator Re	
-	/ Care Organisation/ lealth Board	NHS	NHS agency	Non- NHS	0-9	10-12	13+	Total NHS funded abortions	NHS funded abortions at under 10 weeks un	Percentage of all NHS funded abortions der 10 weeks	Percentage of previous abortions in women aged under 25
ENGLAND	0 & WALES	38	50.5	11.5	70	20	10	175,713	119,595	68.1	23.4
ENGLAND)	37	51.4	11.6	70	20	10	167,771	114,506	68.3	23.6
NORTH	EAST SHA	93	1	6	67	22	11	7,153	4,740	66	19
5ND	County Durham	92	1	7	67	22	11	1,107	738	67	16
5J9	Darlington	96			79	14	7	334	263	<i>7</i> 9	22
5KF	Gateshead	93			72	18	10	462	326	71	17
5D9	Hartlepool	94			74	18	8	280	205	73	27
5KM	Middlesbrough	94			67	22	11	499	331	66	21
5D7	Newcastle	95			67	21	11	1,012	675	67	15
5E1 5D8	North Trees	93 93	••		72 74	18 17	10 9	611 613	436 450	71 73	21 18
TAC	North Tyneside Northumberland	95 95			66	23	11	709	468	66	18
5QR	Redcar & Cleveland	93			65	20	15	345	222	64	18
	South Tyneside	95			65	26	9	413	262	63	18
5KL	Sunderland Teaching	90	1	9	50	34	16	768	364	47	22
NORTH	WEST SHA	52	40	7	71	19	10	23,201	16,241	70	22
5HG	Ashton, Leigh & Wigan	66	23	11	62	27	12	862	498	58	19
5CC	Blackburn & Darwen Teaching	88	3	10	75	18	7	438	324	74	24
5HP	Blackpool	5	92	3	78	13	8	487	379	78	26
5HQ	Bolton	47	45	9	73	17	11	935	666	71	19
5JX 5NP	Bury	24 41	66 48	10 11	77 68	15 19	7 13	615 1,026	468 675	76 66	29 19
5NG	Central & Eastern Cheshire Central Lancashire	26	66	9	78	15	7	1,177	916	78	17
5NE	Cumbria	87	8	6	72	20	7	1,147	821	72	21
5NH	East Lancashire Teaching	91	3	6	73	18	9	1,196	858	72	21
5NM	Halton & St Helens	45	50	6	69	20	11	1,029	698	68	20
5NQ	Heywood, Middleton & Rochdale	47	45	8	71	19	10	637	447	70	21
5J4	Knowsley	80	15	6	69	22	9	710	489	69	25
5NL	Liverpool	76	19	5	70	20	10	2,263	1,559	69	23
5NT 5NF	Manchester	29 36	64 57	7 7	76 67	15 24	9 9	2,794 717	2,103 474	75 66	27 16
5J5	North Lancashire Teaching Oldham	74	37 17	9	65	24 26	9	678	425	63	17
5F5	Salford Teaching	 57	33	10	62	26	12	912	537	59	21
5NJ	Sefton	77	17	6	64	24	12	848	535	63	22
5F7	Stockport	47	45	9	72	17	11	828	578	70	19
5LH	Tameside & Glossop	55	39	6	73	17	9	878	635	72	20
5NR	Trafford	21	67	12	73	17	10	699	497	71	21
5J2	Warrington	3	88	9	70	19	10	576	397	69	23
	West Cheshire Wirral	68 50	27 47	6 4	69 75	21 15	11 10	614 1,135	416 846	68 75	16 24
YORKSI	HIRE & THE HUMBER SHA	57	34	10	64	26	11	15,104	9,270	61	21
5JE	Barnsley	78	9	13	48	36	17	569	240	42	20
5NY	Bradford & Airedale Teaching	67	23	10	57	34	10	1,556	834	54	19
5J6		78	10	13	71	20	9	525	358	68	17
	Doncaster	4	93	3	76	15	10	1,142	859	75	26
	East Riding of Yorkshire	78 96	9 9	13	50 45	37 46	12	590	270	46	13
	Hull Teaching Kirklees	86 35	9 54	5 11	45 69	46 20	9 11	887 1,126	381 753	43 67	18 19
5N2 5N1		41	50	10	78	14	8	2,715	2,085	77	21
	North East Lincolnshire	94			67	24	8	577	385	67	27
	North Lincolnshire	84			44	29	27	362	146	40	17
	North Yorkshire & York	53	36	12	66	24	10	1,630	1,038	64	19
5H8	Rotherham	88	5	7	56	30	14	746	404	54	22
5N4		87	2	11	50	37	13	1,726	768	45	22
5N3	Wakefield District	3	90	8	79	12	8	953	749	79	24

Table 11 Legal abortions: purchaser, gestation, Sexual Health Indicator and repeat abortions, by Primary Care Organisation, England and Local Health Board, Wales, 2007

	Purch	naser (%)	Gesta	ition we	eks (%)	Sexu	al Health Indica	itor	Repeat abortions
Primary Care Organisation/ Local Health Board	NHS	NHS agency	Non- NHS	0-9	10-12	13+	Total NHS funded abortions	NHS funded abortions at under 10 weeks un	Percentage of all NHS funded abortions der 10 weeks	Percentage of previous abortions in women aged under 25
ENGLAND & WALES	38	50.5	11.5	70	20	10	175,713	119,595	68.1	23.4
ENGLAND	37	51.4	11.6	70	20	10	167,771	114,506	68.3	23.6
EAST MIDLANDS SHA	72	21	7	62	28	11	11,819	7,087	60	20
5ET Bassetlaw 5N7 Derby City 5N6 Derbyshire County 5PC Leicester City 5PA Leicestershire County & Rutland 5N9 Lincolnshire 5PD Northamptonshire Teaching 5EM Nottingham City 5N8 Nottinghamshire County	81 89 81 73 56 88 53 69	14 4 11 22 36 4 40 25 15	5 7 8 5 9 8 7 5 8	63 67 68 60 62 56 61 65 56	24 23 22 31 28 33 27 25 31	13 10 11 9 10 12 12 10	271 830 1,539 1,440 1,620 1,465 1,926 1,202 1,526	168 547 1,022 844 975 788 1,151 772 820	62 66 66 59 60 54 60 64 54	18 21 18 22 19 16 22 25
WEST MIDLANDS SHA	6	88	6	71	18	11	19,660	13,719	70	25
5PG Birmingham East & North 5MD Coventry Teaching 5PE Dudley 5MX Heart of Birmingham Teaching 5CN Herefordshire 5PH North Staffordshire 5PF Sandwell 5M2 Shropshire County TAM Solihull 5M1 South Birmingham 5PK South Staffordshire 5PJ Stoke on Trent 5MK Telford & Wrekin 5M3 Walsall Teaching 5PM Warwickshire 5MV Wolverhampton City 5PL Worcestershire	2 1 2 1 83 2 5 5 2 3 5 3 45 2 3 2	93 98 90 93 10 93 92 90 91 83 93 95 49 95 88 89	6 1 8 6 7 6 5 8 6 12 5 6 3 9 9	75 72 68 78 76 70 68 78 72 53 71 61 70 73 67 72	15 16 20 14 15 14 19 20 14 17 31 17 26 20 16 21 18	10 12 13 8 7 10 11 13 9 11 16 12 13 10 11 12 13	1,921 1,927 958 1,919 436 483 1,209 589 683 1,639 1,624 843 516 959 1,647 1,058 1,249	1,434 1,391 629 1,487 336 366 832 395 527 1,175 804 594 313 666 1,197 692 881	75 72 66 78 77 76 69 67 77 72 50 71 61 69 73 65 71	28 29 25 29 19 21 27 19 28 24 24 20 22 24 24 20
5P2 Bedfordshire 5PP Cambridgeshire 5P3 East & North Hertfordshire 5PR Great Yarmouth & Waveney 5GC Luton 5PX Mid Essex 5PQ Norfolk 5PW North East Essex 5PN Peterborough 5P1 South East Essex 5PY South West Essex 5PT Suffolk 5PV West Essex 5PV West Hertfordshire	58 79 7 89 49 20 89 61 73 50 22 88 22	32 9 78 7 42 67 5 24 22 39 66 2 59	10 12 15 4 9 13 6 15 6 11 13 10 18	68 70 79 58 71 76 66 61 75 77 59 76	21 20 13 33 19 15 22 26 30 17 15 32 18	11 10 8 9 10 8 8 9 7 7 7	1,084 1,219 1,443 491 826 824 1,644 649 670 924 1,347 1,179 853 1,532	718 829 1,121 283 576 613 1,139 401 401 682 1,022 651 620 1,167	66 68 78 58 70 74 69 62 60 74 76 55 73	21 17 29 16 27 23 18 19 19 22 26 17 25

Table 11 Legal abortions: purchaser, gestation, Sexual Health Indicator and repeat abortions, by Primary Care Organisation, England and Local Health Board, Wales, 2007

		Purcl	naser (%)	Gesta	ation we	eks (%)	Sexu	al Health Indica	ator	Repeat abortions
Primary Care Organisation/ Local Health Board		NHS	NHS agency	Non- NHS		10-12	13+	Total NHS funded abortions	NHS funded Percentage abortions of all NHS at under funded 10 weeks abortions under 10 weeks	Percentage of previous abortions in women aged under 25	
ENGLAND	0 & WALES	38	50.5	11.5	70	20	10	175,713	119,595	68.1	23.4
ENGLAND)	37	51.4	11.6	70	20	10	167,771	114,506	68.3	23.6
LONDO	N SHA	19	61	20	74	16	10	40,068	28,209	70	30
5C2	Barking & Dagenham	2	87	11	81	10	9	1,324	1,060	80	35
5A9	Barnet	2	80	19	83	10	8	1,455	1,187	82	30
TAK	•	14	73	14	79	13	9	877	680	78	28
5K5	Brent Teaching	3	83	14	81	11	8	2,032	1,619	80	29
5A7	Bromley	4	82 53	14 26	78 72	12	9	1,061 931	814 608	77 65	29 29
5K7 5C3	Camden	21 75	7	26 18	69	18 21	11 10	1,667	1,076	65	31
5K9	City & Hackney Teaching Croydon	15	89	10	79	14	7	2,077	1,626	78	34
5HX	Ealing	2	64	34	65	20	16	1,291	707	55	26
5C1	Enfield	12	66	22	67	21	13	1,433	899	63	32
5A8	Greenwich Teaching	40	44	16	74	16	10	1,577	1,133	72	29
5H1	Hammersmith & Fulham	10	63	27	75	16	9	897	638	71	32
5C9	Haringey Teaching	15	62	24	68	20	13	1,347	851	63	30
5K6	Harrow		87		83	8	9	1,054	871	83	30
5A4	Havering		86		85	9	6	884	750	85	29
5AT	Hillingdon	6	78	15	77	14	8	1,248	943	76	31
5HY	Hounslow	7	72 50	21	67	19	14	1,190	720	61	29
5K8	Islington	18	58	24 41	68	19 12	13	1,083	664	61 74	30
5LA 5A5	Kensington & Chelsea	53 2	6 84	41 14	80 80	12 12	8 8	464 610	345 484	74 79	32 28
5A5 5LD	Kingston Lambeth	10	73	17	74	16	10	2,216	1,576	79 71	32
5LF	Lewisham	14	73	14	73	17	10	1,979	1,391	70	33
5C5	Newham	56	8	36	58	25	17	1,138	486	43	30
5NA	Redbridge	3	79	18	80	11	9	1,314	1,046	80	35
5M6	Richmond & Twickenham	40	26	34	74	18	8	380	246	65	32
5LE	Southwark	12	71	17	71	18	11	2,380	1,611	68	34
5M7	Sutton & Merton	30	47	24	66	22	12	1,344	780	58	27
5C4	Tower Hamlets	70	12	18	76	16	8	1,387	1,011	73	26
5NC	Waltham Forest	2	79	19	78	13	9	1,443	1,096	76	31
5LG	Wandsworth Westminster	36 42	34 24	30 34	66 80	23 12	11 8	1,187 798	667	56 78	25 29
5LC	vvestminster	42	24	34	80	12	O	790	624	70	29
SOUTH	EAST COAST SHA	9	81	10	76	15	9	12,539	9,314	74	23
5LQ	Brighton & Hove City	2	91	8	77	14	9	1,301	992	76	23
5P7	East Sussex Downs & Weald	4	84	12	60	28	12	787	447	57	17
	Eastern & Coastal Kent	3	90	7	76	14	10	2,346	1,758	75	23
	Hastings & Rother	26	70	4	73	17	10	523	376	72	17
5L3	Medway	2	90	8	77	14	10	1,018	776	76 70	25
5P5	Surrey	3 2	82 88	15 10	79 82	12 10	9 8	2,696 1,943	2,094 1,582	78 81	23 27
5P9 5P6	West Kent West Sussex	38	52	10	69	21	11	1,925	1,289	67	22
SOUTH	CENTRAL SHA	25	66	9	74	16	10	11,288	8,179	73	23
5QG	Berkshire East	2	85	13	77	13	11	1,339	1,003	75	25
	Berkshire West	2	86	12	79	13	9	1,273	994	78	28
	Buckinghamshire	5	84	11	71	17	13	1,183	820	69	25
5QC	Hampshire	30	63	7	73	17	10	3,068	2,217	72	20
5QT	Isle of Wight NHS	85	9	6	60	31	9	261	151	58	18
	Milton Keynes	2	90	8	72	19	10	939	659	70	20
	Oxfordshire	25	68	7	78	11	11	1,558	1,208	78	25
5FE 5L1	Portsmouth City Teaching Southampton City	91 65	3 30	6 5	74 63	19 25	7 12	783 884	575 552	73 62	22 20
321		30		•				001	552	32	_0

Table 11 Legal abortions: purchaser, gestation, Sexual Health Indicator and repeat abortions, by Primary Care Organisation, England and Local Health Board, Wales, 2007

										1
	Purcl	haser (%)	Gesta	ation we	eks (%)	Sexu	ual Health Indica	ator	Repeat abortions
Primary Care Organisation/ Local Health Board	NHS	NHS agency	Non- NHS	0-9	10-12	0-12 13+	Total NHS funded abortions	NHS funded Percentage abortions of all NHS at under funded 10 weeks abortions under 10 weeks	Percentage of previous abortions in women aged under 25	
ENGLAND & WALES	38	50.5	11.5	70	20	10	175,713	119,595	68.1	23.4
ENGLAND	37	51.4	11.6	70	20	10	167,771	114,506	68.3	23.6
SOUTH WEST SHA	59	30	10	64	25	11	12,254	7,524	61	19
5FL Bath & North East Somerset	60	25	15	68	21	11	395	248	63	16
5QN Bournemouth & Poole Teaching	42	54	5	72	18	10	1,030	751	73	23
5QJ Bristol	66	16	18	63	26	12	1,332	757	57	20
5QP Cornwall & Isles of Scilly	87	7	6	60	32	8	1,123	654	58	14
5QQ Devon	68	24	8	64	28	9	1,485	921	62	16
5QM Dorset	49	43	8	60	27	13	757	441	58	15
5QH Gloucestershire	88	4	8	72	19	10	1,407	991	70	19
5M8 North Somerset	65	12	23	55	29	17	350	155	44	17
5F1 Plymouth Teaching	92	4	4	56	34	11	739	403	55	19
5QL Somerset	66	18	17	50	34	17	987	419	43	18
5A3 South Gloucestershire	63	19	18	64	25	11	555	323	58	24
5K3 Swindon		94		78	14	9	627	483	77	25
TAL Torbay		94		59	25	17	422	243	58	23
5QK Wiltshire	15	77	9	72	19	10	1,045	735	70	18
WALES	60	31	9	66	24	10	7,942	5,089	64	20
6B1 Angelsey		96		71	20	9	174	123	71	23
6C2 Blaenau Gwent	55	37	8	64	24	11	186	118	63	14
6B3 Bridgend	89	3	8	72	21	7	353	248	70	16
6B2 Caerphilly	58	34	8	68	24	8	499	328	66	23
6A8 Cardiff	78	6	16	57	29	14	1,038	538	52	18
6B7 Carmarthen	88	4	9	63	25	12	334	204	61	18
6A4 Ceredigion	95			85	12	4	167	141	84	17
6A7 Conwy		93		63	26	11	258	161	62	21
6C1 Denbighshire		92		67	20	12	273	182	67	20
6B5 Flintshire	6	88	7	67	21	12	440	292	66	22
6A2 Gwynedd	5	91	4	67	24	9	332	219	66	22
6B8 Merthyr Tydfil	76			61	28	11	130	74	57	28
6A1 Monmouth	43	40	17	74	16	10	178	123	69	17
6A5 Neath & Port Talbot	92			70	22	8	346	241	70	20
6B9 Newport	50	41	9	71	20	9	468	322	69	20
6A3 Pembroke	80	11	9	70	22	8	297	204	69	18
6C4 Powys	80	9	11	76	16	9	294	220	75	19
6A9 Rhondda, Cynon, Taff	88	3	9	60	31	9	682	394	58	23
6A6 Swansea	88	3	9	65	26	9	506	321	63	20
6B6 The Vale of Glamorgan	80	3	17	62	25	13	287	164	57	20
6C3 Torfaen	63	33	4	70	23	7	304	209	69	20
6B4 Wrexham		92		67	18	15	396	263	66	23

^{..} Percentages are suppressed where totals are less than 10 (0-9) and where a presented percentage would reveal the suppressed value. Note: percentages are rounded and may not add up to 100

Table 12a Legal abortions: non residents by country of residence, 2007

Country of residence		total	percentages
United Kingdom	All non-residents	7,099	100%
Northern Ireland 1,343 18.9 Scotland 377 5.3 Isle of Man 135 1.9 Jersey 24 0.3 Guernsey 13 0.2 European countries	Country of residence ¹		
Scotland 377 5.3 Isle of Man 135 1.9 Jersey 24 0.3 Guernsey 13 0.2 European countries Irish Republic 4,686 66.0 Cyprus 8 0.1 Denmark 6 0.1 France 31 0.4 Germany 12 0.2 Italy 137 1.9 Malta 69 1.0 Poland 8 0.1 Portugal 10 0.1 Romania 5 0.1 Spain 25 0.4 Switzerland 5 0.1 Other 19 0.3 Rest of the world Australia 13 0.2 Bahrain 10 0.1 Kuwait 13 0.2 Qatar 7 0.1 Saudi Arabia 5 0.1 UAE 77 1.1 USA 15 0.2			
Isle of Man		1,343	
Jersey Guernsey 13 0.2			
Guernsey 13 0.2 European countries Irish Republic 4,686 66.0 Cyprus 8 0.1 Denmark 6 0.1 France 31 0.4 Germany 12 0.2 Italy 137 1.9 Malta 69 1.0 Poland 8 0.1 Portugal 10 0.1 Romania 5 0.1 Spain 25 0.4 Switzerland 5 0.1 Other 19 0.3 Rest of the world Australia 13 0.2 Bahrain 10 0.1 0.1 Kuwait 13 0.2 Qatar 7 0.1 Saudi Arabia 5 0.1 UAE 77 1.1 USA 15 0.2	Isle of Man		
European countries	· · · · · · · · · · · · · · · · · · ·		
Irish Republic 4,686 66.0 Cyprus 8 0.1 Denmark 6 0.1 France 31 0.4 Germany 12 0.2 Italy 137 1.9 Malta 69 1.0 Poland 8 0.1 Portugal 10 0.1 Romania 5 0.1 Spain 25 0.4 Switzerland 5 0.1 Other 19 0.3 Rest of the world 3 0.2 Bahrain 10 0.1 Kuwait 13 0.2 Qatar 7 0.1 Saudi Arabia 5 0.1 UAE 77 1.1 USA 15 0.2	Guernsey	13	0.2
Cyprus 8 0.1 Denmark 6 0.1 France 31 0.4 Germany 12 0.2 Italy 137 1.9 Malta 69 1.0 Poland 8 0.1 Portugal 10 0.1 Romania 5 0.1 Spain 25 0.4 Switzerland 5 0.1 Other 19 0.3 Rest of the world Xustralia 13 0.2 Bahrain 10 0.1 0.1 Kuwait 13 0.2 Qatar 7 0.1 Saudi Arabia 5 0.1 UAE 77 1.1 USA 15 0.2	European countries		
Denmark 6 0.1 France 31 0.4 Germany 12 0.2 Italy 137 1.9 Malta 69 1.0 Poland 8 0.1 Portugal 10 0.1 Romania 5 0.1 Spain 25 0.4 Switzerland 5 0.1 Other 19 0.3 Rest of the world 3 0.2 Bahrain 10 0.1 Kuwait 13 0.2 Qatar 7 0.1 Saudi Arabia 5 0.1 UAE 77 1.1 USA 15 0.2	Irish Republic	4,686	66.0
France 31 0.4 Germany 12 0.2 Italy 137 1.9 Malta 69 1.0 Poland 8 0.1 Portugal 10 0.1 Romania 5 0.1 Spain 25 0.4 Switzerland 5 0.1 Other 19 0.3 Rest of the world 3 0.2 Bahrain 10 0.1 Kuwait 13 0.2 Qatar 7 0.1 Saudi Arabia 5 0.1 UAE 77 1.1 USA 15 0.2	Cyprus	8	0.1
Germany 12 0.2 Italy 137 1.9 Malta 69 1.0 Poland 8 0.1 Portugal 10 0.1 Romania 5 0.1 Spain 25 0.4 Switzerland 5 0.1 Other 19 0.3 Rest of the world 3 0.2 Bahrain 10 0.1 Kuwait 13 0.2 Qatar 7 0.1 Saudi Arabia 5 0.1 UAE 77 1.1 USA 15 0.2	Denmark		
Italy 137 1.9 Malta 69 1.0 Poland 8 0.1 Portugal 10 0.1 Romania 5 0.1 Spain 25 0.4 Switzerland 5 0.1 Other 19 0.3 Rest of the world 3 0.2 Bahrain 10 0.1 Kuwait 13 0.2 Qatar 7 0.1 Saudi Arabia 5 0.1 UAE 77 1.1 USA 15 0.2	France		
Malta 69 1.0 Poland 8 0.1 Portugal 10 0.1 Romania 5 0.1 Spain 25 0.4 Switzerland 5 0.1 Other 19 0.3 Rest of the world 3 0.2 Bahrain 10 0.1 Kuwait 13 0.2 Qatar 7 0.1 Saudi Arabia 5 0.1 UAE 77 1.1 USA 15 0.2	•		
Poland 8 0.1 Portugal 10 0.1 Romania 5 0.1 Spain 25 0.4 Switzerland 5 0.1 Other 19 0.3 Rest of the world Australia 13 0.2 Bahrain 10 0.1 Kuwait 13 0.2 Qatar 7 0.1 Saudi Arabia 5 0.1 UAE 77 1.1 USA 15 0.2			
Portugal 10 0.1 Romania 5 0.1 Spain 25 0.4 Switzerland 5 0.1 Other 19 0.3 Rest of the world Australia 13 0.2 Bahrain 10 0.1 Kuwait 13 0.2 Qatar 7 0.1 Saudi Arabia 5 0.1 UAE 77 1.1 USA 15 0.2			
Romania 5 0.1 Spain 25 0.4 Switzerland 5 0.1 Other 19 0.3 Rest of the world Australia 13 0.2 Bahrain 10 0.1 Kuwait 13 0.2 Qatar 7 0.1 Saudi Arabia 5 0.1 UAE 77 1.1 USA 15 0.2			
Spain 25 0.4 Switzerland 5 0.1 Other 19 0.3 Rest of the world Australia 13 0.2 Bahrain 10 0.1 Kuwait 13 0.2 Qatar 7 0.1 Saudi Arabia 5 0.1 UAE 77 1.1 USA 15 0.2	<u> </u>		-
Switzerland 5 0.1 Other 19 0.3 Rest of the world Australia 13 0.2 Bahrain 10 0.1 Kuwait 13 0.2 Qatar 7 0.1 Saudi Arabia 5 0.1 UAE 77 1.1 USA 15 0.2			
Other 19 0.3 Rest of the world Image: Rest of the world Australia 13 0.2 Bahrain 10 0.1 Kuwait 13 0.2 Qatar 7 0.1 Saudi Arabia 5 0.1 UAE 77 1.1 USA 15 0.2	•		-
Rest of the world 13 0.2 Bahrain 10 0.1 Kuwait 13 0.2 Qatar 7 0.1 Saudi Arabia 5 0.1 UAE 77 1.1 USA 15 0.2			
Australia 13 0.2 Bahrain 10 0.1 Kuwait 13 0.2 Qatar 7 0.1 Saudi Arabia 5 0.1 UAE 77 1.1 USA 15 0.2	Other	19	0.3
Bahrain 10 0.1 Kuwait 13 0.2 Qatar 7 0.1 Saudi Arabia 5 0.1 UAE 77 1.1 USA 15 0.2	Rest of the world		
Kuwait 13 0.2 Qatar 7 0.1 Saudi Arabia 5 0.1 UAE 77 1.1 USA 15 0.2	Australia	13	0.2
Qatar 7 0.1 Saudi Arabia 5 0.1 UAE 77 1.1 USA 15 0.2	Bahrain	10	0.1
Saudi Arabia 5 0.1 UAE 77 1.1 USA 15 0.2	Kuwait	13	0.2
UAE 77 1.1 USA 15 0.2	Qatar	7	0.1
USA 15 <i>0.2</i>	Saudi Arabia	5	0.1
Other 46 <i>0.6</i>			
	Other	46	0.6

^{&#}x27;Specific countries shown only where there are 5 or more cases

Table 12b Legal abortions: non residents of England and Wales, by (i) age, (ii) statutory grounds and (iii) gestation, 2007

		total	percentages
All non-residents		7,099	100%
(i) Age	Under 16	99	1
,, -	16 - 17	291	4
	18 - 19	589	8
	20 - 24	2,016	28
	25 - 29	1,799	25
	30 - 34	1,170	16
	35 - 39	803	11
	40 and over	332	5
(ii) Statutory grounds			
	C (alone)	7,001	99
	Other	98	1
(iii) Gestation weeks			
	3 - 9	4,545	64
	10 - 12	1,317	19
	13 - 19	918	13
	20 and over	319	4

Note: percentages are rounded and may not add to 100

Table 12c Legal abortions, country of residence by age and gestation, 2007

		Scotland	Northern Ireland	Irish Republic
All ages	numbers	377	1,343	4,686
Unde	r 16	14	28	47
16 - 1	7	35	76	147
18 - 1	9	36	131	350
20 - 2	4	101	386	1,387
25 - 2	9	70	298	1,282
30 - 3	4	59	205	790
35 - 3	9	48	162	474
40 &	over	14	57	209
Gestation week	s %	(100%)	(100%)	(100%)
3 - 9		51	65	67
10 - 1	2	7	21	19
13 - 1	9	14	11	12
20 &	over	29	2	2

Note: percentages are rounded and may not add up to 100

Appendix A

Changes introduced with the new abortion notification form, following a consultation exercise undertaken in 2000, are shown in the table below. A blank entry in the right hand column indicates an item that remains unchanged.

Notification form 1991-2002	Notification form 2002 onwards –
	changes to items

Name and address of operating practitioner	
and certifying practitioner(s)	

Patient details

Name	Revised: Hospital/clinic number or name
Address	Revised: Postcode or complete address
Date of birth	
Marital status	Single expanded further with sub-category "single not stated" added in 2003. Civil
Parity (previous live births, stillbirths,	partnership added in 2006. previous live births, stillbirths replaced by
spontaneous miscarriages, legal terminations)	previous pregnancies resulting in live birth(s)
	or stillbirth(s); ectopic pregnancies included with miscarriages
	New item: ethnicity, using 2001 Census
	categories

Treatment details

Name and address of place of termination	
Whether patient was an NHS case terminated	Revised: whether NHS or privately funded
in an approved place under an agency agreement	
Gestation period and method of estimation	Revised: method of estimation no longer
	collected
Statutory grounds for terminating pregnancy	
Medical condition of woman or diagnosis or	
suspected medical condition of fetus	
Date of admission to place of termination	
Date of termination	
Date of discharge from place of termination	
Method of termination	Feticide now separately identified
Whether selective termination of a multiple	
pregnancy	
Whether sterilisation performed	No longer collected
Complications prior to notification	Changed: complications prior to discharge
In case of death, date and cause	
	New item: whether chlamydia screening
	offered

Appendix B

Key recommendations from the National Statistics Disclosure Review

Recommendation 1: Within a release of abortion statistics unsafe cells are defined as being counts of abortions that are:

- zero unless no other value is logically possible
- less than 5 for Government Office Region in England, the country of Wales or any larger geography
- less than 10 for any geography below the Government Office Region in England or the country of Wales
- less than 10 for highly sensitive variables
- associated with either 1 or 2 practitioners
- associated with either 1 or 2 hospitals

The variables that are considered highly sensitive are:

- Young ages (<15)
- Late gestation (over 24 weeks)
- Procedure by gestation
- Medical conditions

Recommendation 2: Simple calculations such as rates or percentages do not necessarily make an unsafe cell safe and should not be used to protect data unless it can be demonstrated that one cannot work back to the original count. In order to keep statistical disclosure control rules clear and consistent for abortion statistics rates or percentages should only be calculated from safe cells.

Recommendation 3: In order to ensure that unsafe cells in the abortion statistics are disguised table design should be used as a preliminary protection method. Redesign should be implemented taking into account the information required by the main users of the data.

Recommendation 4: Statistics should only be constructed using area of residence rather than place of termination thus reducing the risk of disclosure from counts of events that are associated with 1 or 2 practitioners/hospitals.

Recommendation 5: If unsafe cells exist in tables after redesign these should be removed using suppression methods (primary and secondary).

Recommendation 6: In order to avoid resource intensive analysis of disclosure by differencing the abortions data should not in general be published on geographies that are non-coterminous with SHA/region/PCO/LHB or for non-standard variable categories.

Recommendation 7: In order to release more detail some data should be published aggregated over a number of years. To keep the methods for disclosure control clear, consistent and easy to implement the recommendation is made that rolling aggregates are not produced but years are aggregated independently.

Recommendation 8: The guidelines should be implemented for all published outputs of abortion data e.g. in cases where the data published can be used to make direct inferences about abortions. The guidelines should be implemented as soon as possible. The DH and ONS should work together in order to implement these guidelines for the annual bulletin release for 2003 and 2004.

Recommendation 9: Users should be made aware of what constitutes an unsafe cell within the abortion statistics. The user should also be told that the method used to protect the table is predominantly table redesign used to minimise the number of unsafe cells that require suppression. The impact on the quality of the data will be that in some cases less detail will be displayed and suppressions will mean that some information is removed from the table.